



intimus 20000 S Degausser

WITH AUDITOR-PRO



NSA/CSS EPL-LISTED DEGAUSSER


During degaussing, magnetic data carriers are flooded with a very strong magnetic field. The magnetic force of the hard disk, the coercivity, is thereby far exceeded. This short and strong pulse deletes the data irrevocably.

The intimus 20000 S degausser is the ultimate in data destruction power. It completely erases all data from any hard disk or magnetic tape at 20,000 gauss in under 15 seconds. It comes with the Auditor-Pro system to create an audit-worthy media destruction report as you degauss.

Physical destruction of hard drives leaves data behind (i.e. shredding, crushing, piercing, bending). Degaussing is the only way to eliminate all data on the disc platters of hard drives or from magnetic tapes. After degaussing, physical destruction using the intimus Crusher gives visual confirmation that the hard drive has been securely processed and is ready for disposal.



Secure and complete data erasure on hard disks



Secure and complete data erasure on magnetic tapes



intimus 20000 S Degausser

USP

- Listed on the NSA/CSS Evaluated Products List, meeting the toughest government and industry standards for erasing hard drive and tape media
- Suitable for non-functioning or obsolete hard disks and magnetic tapes
- Complete data erasure in under 15 seconds
- For highest throughput: Erases up to 150 standard hard disks (3.5 in.) per hour
- Easy to use: place the media in the drawer, close the drawer and degauss cycle starts automatically
- Enables continuous operation
- Integrated magnetic field monitoring during each cycle for guaranteed safe data erasure
- LCD display provides numerical value of the gauss field strength to verify erasure
- Worldwide pluggable to a standard power outlet
- Small footprint and quiet operation for office use
- Shielded - no magnetic radiation to the environment

Also in our range of products:

intimus Crusher

MECHANICAL HARD DISK DESTROYER

Bends, breaks and demolishes hard drives including data disks and other internal component.



intimus Auditor-Pro

ERASURE AND DESTRUCTION VERIFICATION SYSTEM (INCLUDED)

Generates a proof-of-erasure and destruction certificate for audit and archival purposes with date, time, user ID, serial number and JPG images of media after demagnetization.

- Barcode scanner captures hard drive serial number prior to erasure process
- Tracks and stores media serial number, user ID, witness ID, and date in a password-protected system
- Automated image capture system captures images of demagnetized hard drives as soon as the media drawer is opened
- Informs operator and records the erasure results immediately after each cycle with green „Pass“ or red „Fail“
- Barcode scanner, touchscreen, stylus and camera included



Scans serial numbers of hard disks before erasure



Creates erasure certificates – Touchscreen operation



Stylus for comfortable operation of the touchscreen



intimus 20000 S Degausser

PRODUCT INFORMATION



1,300 HDDs/h



20,000 Gauss



15 s



90 – 240 V / 50 – 60 Hz

Specifications

Magnetic field	20,000 Gauss (2 Tesla)
Cycle time	15 seconds
Media	Hard drives (HDD)*: Laptop, standard, and network drives up to 32 mm (1.25 in.) height Magnetic tapes: LTO (1, 2, 3, 4), SuperDLT I & II, DLT, AIT, 2590 Series, 8 mm, and others
Throughput (HDD/h)	up to 1,300 (1.8 in.) up to 875 (2.5 in.) up to 150 (3.5 in.)

Specifications

intimus Auditor-Pro (included)	<input checked="" type="checkbox"/>
Capacitive discharge	<input checked="" type="checkbox"/>
Continuous operation	<input checked="" type="checkbox"/>
Power supply	90 – 240 V / 50 – 60 Hz
Dimension media drawer W x D x H	108 x 149 x 32 mm (4.3 x 5.9 x 1.25 in.)
Dimension W x D x H	248 x 740 x 490 mm (9.8 x 29.1 x 19.3 in.)
Weight	48 kg (105 lbs.)
Warranty	1 year

* All mounting hardware must be removed before degaussing.

All data without guarantee. Subject to technical and optical changes.

ANY QUESTIONS?
WE LOOK FORWARD TO HEARING FROM YOU.

info@prelect.se
Tel.031-983400
www.prelect.se